



Tidel S4e

Rolled Coin Dispenser



Tidel S4e Rolled Coin Dispenser

The Rolled Coin Dispenser, powered by the Tidel S4e, offers a convenient way to dispense rolled coin on demand, using a secure and auditable process.

Equipped with up to 8 coin magazines, the Tidel S4e Rolled Coin Dispenser is an ideal solution for convenience stores, supermarkets, big box retail, or other high volume cash environments.

The Tidel S4e Rolled Coin Dispenser offers a convenient way for an organization to store and dispense rolled coin whenever needed, representing a complementary addition to a store's daily cash operations. Dispensing rolled coin on demand minimizes the frequency, and therefore the expense, of third-party deliveries of rolled coin.

The Tidel S4e Rolled Coin Dispenser can be set up to hold quarters, dimes, nickels, and pennies in a variety of configurations across the four provided rolled coin magazines. Dispensing coins and accessing the coin magazines is completely auditable and managed by individual user PIN. The Tidel S4e Rolled Coin Dispenser supports 4 coin magazines per cabinet, and can be expanded to support up to two cabinets per Tidel S4e, offering a convenient way to scale the storage capacity of rolled coin whenever required.



Tidel S4e

Rolled Coin Dispenser

Specifications

Hardware Features

- Dispenses rolled coin on demand
- Up to 8 rolled coin magazines – supporting quarters, dimes, nickels, and pennies
- Coin magazine capacities (for U.S. coins)

Standard Capacity System

- 1¢ – 160 rolls
- 5¢ – 130 rolls
- 10¢ – 180 rolls
- 25¢ – 100 rolls

High Capacity System

- 1¢ – 320 rolls
- 5¢ – 260 rolls
- 10¢ – 360 rolls
- 25¢ – 200 rolls

- Audible alarm in vault door
- System connectivity via data cables (provided with system)

Software Features

- All rolled coin dispense transactions are completely auditable and managed by individual user PIN
- Buy Change function allows for the exchange of a note for rolled coin
- Expansive list of reports, accessible locally or remotely
- Supports network downloads for software upgrades or maintenance releases
- Can be connected to Ethernet or cellular network for interface to POS, back-office PC, or remote locations

Warranty

- 1 year parts and 90 days labor (inside the US)
- 1 year parts only (outside the US)

Power Requirements

- 120 VAC 60Hz or 220 VAC 50Hz

Standard Capacity System

- Weight:** 370 lbs. (167 kg) dispenser only
519 lbs. (235 kg) with Tidel S4e
- Height:** 30.75" (781 mm)
- Width:** 16" (406 mm) dispenser only
28.25" (717 mm) with Tidel S4e
- Depth:** 27" (686 mm) dispenser only
27" (686 mm) with Tidel S4e

High-Capacity System

- Weight:** 740 lbs. (335 kg) dispenser only
889 lbs. (403 kg) with Tidel S4e
- Height:** 30.75" (781 mm)
- Width:** 32" (812 mm) dispenser only
44.25" (1123 mm) with Tidel S4e
- Depth:** 27" (686 mm) dispenser only
27" (686 mm) with Tidel S4e

